FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State, during the month ending 31st December 1930.

| Count of yarn | Weight in pounds of each count | Count of yarn | Weight in pounds of each count | Count of yarn | Weight in pounds of each count |
|---|---|---|---|---|---|
| 2s | 6,113 | 14s | 105,471 | 28s | 64,993 |
| 4s | 12,003 | 14½s | 34,010 | 30s | 47,729 |
| 6s | 36,278 | 16s | 14,167 | 32s | 13,986 |
| 6½s | 47,428 | 16½s | 18,536 | 36s | 1,732 |
| 8s | 50,680 | 19s | 119,582 | 40s | 99,919 |
| 8½s | 47,435 | 20s | 142,017 | 42s | 9,063 |
| 10s | 24,838 | 20½s | 42,599 | | |
| 10½s | 7,866 | 21s | 14,271 | | |
| 12s | 31,183 | 22s | 38,697 | Total ... | 11,94,842 |
| 12½s | 64,998 | 24s | 85,723 | | |
| 13½s | 7,527 | 26s | 5,998 | | |

H. K. RAMIENGAR,
For *Director of Industries and Commerce in charge.*

## MYSORE DEPARTMENT OF HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, JANUARY 29, 1931.

A total of 80 attacks with 43 deaths from plague was returned during the week against 68 attacks with 53 deaths in the previous week. Mysore City and Kolar Gold Field area returned 9 attacks with 7 deaths and 7 attacks with nil deaths respectively. Bangalore City remained free from the disease.

Comparative figures for the corresponding weeks in 1930 and 1929 were 88 attacks with 58 deaths and 28 attacks with 14 deaths respectively.

Thirty-three attacks with 17 deaths from cholera were reported fromone village in each of Hoskote, Mandya, Nagamangala, Seringapatam, Mulbagal, Bagepalli, and Mysore Taluks and two villages in T.-Narsipur Taluk. Seringapatam-Ganjam and Siddlaghatta Towns also reported cases.

Thirty-nine attacks with seven deaths from smallpox were reported from one village in each of Belur and Narasimharajapura Taluks. Kolar, Belur and Gundlupet Towns including Kolar Gold Field area reported cases.

The State remained free from Influenza and Relapsing Fever.

The total mortality of Bangalore City amounted to 83, representing a calculated annual ratio of 36·40 per mille of population against the average ratio of 36·48 for the corresponding week of last year. Classified according to causes, the deaths numbered 3 under malaria, 7 under broncho-pneumonia, 3 under pneumonia, 3 under typhoid, 2 under phthisis, 10 under dysentery and diarrhoea and 55 under all other causes.

During the week the Civil and Military Station, Bangalore, returned 63 deaths representing a calculated annual ratio of 27·54 per mille of population against the average ratio of 33·75 for the corresponding week of last year. Classified according to causes, the deaths were broncho-pneumonia 4, pneumonia 3, typhoid 2, other fevers 4, phthisis 2, dysentery and diarrhœa 2, and all other causes 46.

The total mortality for Mysore City was 71, representing a calculated annual ratio of 43·97 per mille of population against the average ratio of 35·30 for the corresponding week of last year. Classified according to causes the deaths were plague 7, malaria 8, broncho-pneumonia 2, pneumonia 3, typhoid 1, phthisis 4, dysentery and diarrhoea 7 and all other causes 39.

There were 47 deaths from all causes in Kolar Gold Field equivalent to a calculated annual ratio of 27·87 per mille of population against the average ratio of 24·31 for the corresponding week of last year. Classified according to causes, the deaths numbered 3 under broncho pneumonia, 3 under pneumonia, 2 under other fevers, 2 under phthisis, 5 under dysentery and diarrhoea and 32 under all other causes.

J. V. KARVE,
*Director of Health.*